


Part list

Walkie Electric Stacker

EB12EA




Contents

1.Bodywork system.....	1
1.1The frame system.....	1
1.1The frame system.....	2
1.2 Cover Assembly	3
1.2 Cover Assembly	4
1.3 Steering wheel assembly	6
2.Driving system	7
2.1 Drive assembly.....	7
2.1Drive assembly.....	8
3. Operating system.....	9
3.1 Operating handle assembly	9
3.1 Operating handle assembly	10
4.Hydraulic system.....	11
4.1Hydraulic system.....	12
5.Electrical system.....	13
5.1Electrical assembly	14
6. Lifting System	15
6.1Lifting System	15
6.1Lifting System	16
6.2 Fork holder	17
6.2Fork holder	18

1.Bodywork system


1.1The frame system



1.1The frame system

No.	Code	Description	Specification	QTY	Remark
1	CL16GE-01.2	Operating handle		1	
2	GB/T 93-1987	Spring Washer	8×2.1	24	
3	GB/T 70.1-2000	Hexagon socket head cap screws	M8×25	20	
4	GB/T 70.1-2000	Hexagon socket head cap screws	M10×35	6	
5	GB/T 93-1987	Spring Washer	10×2.6	7	
6	GB/T 95-2002	Flat Washer	10×2	7	
7	CL16GE-01.3	Vertical drive assembly		1	
8	CL10.5.5k	steering wheel		1	
9	GB/T 95-2002	Flat Washer	12×2.5	4	
10	GB/T 93-1987	Spring Washer	12×3.1	4	
11	GB/T 70.1-2000	Hexagon socket head cap screws	M12×40	4	
12	CL12JY-01.3	Screw welding		2	
13	CL12JY-01.4	Pad		2	
14	GB/T 70.1-2000	Hexagon socket head cap screws	M8×16	2	
15	GB/T 41-2000	Hexagon nut	M16	4	
16	GB/T 70.1-2000	Hexagon socket head cap screws	M16×50	4	
17	CL12JY-01.5	Pressing plate		2	
18	GB/T 93-1987	Spring Washer	20×5	4	
19	GB/T 5783-2000	Hexagon bolt full thread	M20×65	4	
20	CL16GEY-01.01	Main frame welded		1	
21	GB/T 879.1-2000	Elastic cylindrical pin	5×35	8	
22	DFL25.1-14D	Connecting plate		4	
23	SL20.1-9	Washer		8	
24	GB/T 276-94	Deep groove ball bearing	6204	8	
25	CL10-4H	Front wheel axle (2)		4	
26	CL10-5	Small wheel		4	
27	CL12JY-01.2	Fixed leg welded		2	One piece of symmetry


1.2 Cover Assembly



1.2 Cover Assembly

No.	Code	Description	Specification	QTY	Remark
1	GB/T 818-2000	Cross recessed pan head screw	M6×16	6	
2	SPN10.0-6	Protective cover Clamp		6	
3	SPN1016.0-4	Protective cover		1	
4	GB/T 70.3-2000	Hexagon socket countersunk head screw	M6×16	2	
5	CLJ1030.06-2	Upper cover		1	
6	CL16GE-06.4	Handle cover		1	
7	CLJ1030.06-3	Lower cover		1	

1.3Steering wheel assembly




1.3 Steering wheel assembly

No.	Code	Description	Specification	QTY	Remark
1	CL10.5.5.1G	Flanged joint		2	
2	GB/T 91-2000	Cotter pin	Φ3.2×45	2	
3	CL10.5.5-2	Dust ring		2	
4	JB/T 7940.1-1995	Straight-through injection oil cup	M6	2	
5	GB/T 301-1995	Thrust ball bearing	51111	2	
6	GB/T 276-94	Deep groove ball bearing	6205-2Z	2	
7	CL10.5.5-3	Gland		2	
8	M20×1.5	Slotted nut		2	
9	CL10.5.5-4G	Wheel carrier		2	
10	GB/T 889.1-2000	Hexagon lock nut	M14	2	
11	GB/T 276-94	Deep groove ball bearing	6204-2Z	4	
12	CL10.5.5-6	Bushing		2	
13	CL10.5.5-7	Rear Wheel		2	
14	GB/T 5780-2000	Hexagon bolt	M14×100	2	

2. Driving system

2.1 Drive assembly




2.1 Drive assembly

No.	Code	Description	Specification	QTY	Remark
1	4699_601_203_GK10(081)	Gearbox		1	
2	EB18E.02.QDL.0066	Driving Wheel	$\Phi 230 \times 70$	1	
3	EB18E.HZZC.001	ZF Slewing bearing	260×28	1	
4	SL20GA-01.6.3	Electromagnetic brake magnetic sensor assembly		1	
5	CL16GE-01.3.1	Enclosure mounting bracket		1	
6	EB18E.02.DJ.00821	AC Motor		1	
7	CL16GE-01.3.2	Handle support		1	
8	GB/T 95-2002	Flat Washer	$\Phi 8$	7	
9	GB/T 93-1987	Spring Washer	$\Phi 8$	7	
10	GB/T 70.1-2000	Hexagon socket head cap screws		4	
11	GB/T 70.1-2000	Hexagon socket head cap screws		3	
12	GB/T 818-2000	Cross recessed pan head screw	M4×10	4	
	EB18E.02.QD.0086	Driving assembly		1	

3. Operating system

3.1 Operating handle assembly




3.1 Operating handle assembly

No.	Code	Description	Specification	QTY	Remark
1	TY-01.20	DT Handle T606-5		1	TY-01.20
2	CLJ1030.01.02.01	Handle bar welding		1	
3	CS1232.8-1	Shock absorbers		1	
4	GB/T 70.1-2000	Hexagon socket head cap screws	M8×35	1	
5	CJF17-05PA	Proximity switch		1	
6	GB/T 93-1987	Spring Washer	Φ3	2	
7	GB/T 70.1-2000	Hexagon socket head cap screws	M3×25	2	
8	SL13.03-07	Joint axis		1	
9	GB/T 77-2000	Hexagon socket set screw with flat end	M6×8	1	
10	TY-02.22	Composite set with shoulderΦ18×Φ16×10		2	
11	SL15GD-02.9.2	Joint bracket		1	
12	SL15GD-02.9.3	Limit block		1	
13	GB 6191-86	Hexagon socket head screw	M10×20	1	
14	GB/T 70.3-2000	Hexagon socket countersunk head screw	M8×20	1	
15	GB/T 70.1-2000	Hexagon socket head cap screws	M8×25	1	
16	CLJ1030.01.02.02	Gas spring assembly		1	
17	SL13.03-09	Spacer		1	
18	CLJ1030.01.02.02	Hexagon flange nut	M8	1	

4. Hydraulic system

4.1 Hydraulic system




4.1Hydraulic system

No.	Code	Description	Specification	QTY	Remark
1	CLJ1030.05	Cylinder assembly		1	
2	GB982-77	Combination seal	Φ18	2	
3	CLJ1030.04-1	Rubber hose		1	
4	SPN10.8-6	Hose connector		1	
5	CLJ1030.01.03.03	Power unit	24V/2.2KW	1	
6	CL10.4-3H	90°connector		1	

5. Electrical system

5.1 Electrical assembly




5.1Electrical assembly

No.	Code	Description	Specification	QTY	Remark
1	TY-01.14	Emergency stop switch ZDK31-250		1	
2	GB/T 70.1-2000	Hexagon socket head cap screws	M3×20	2	
3	TSB50A / 600A	Charging socket		1	
4	SL20GE-01.8	AC electrical control component		1	
5	TY-01.18	Horn DC24-Φ125		1	
6	GB/T 95-2002	Flat Washer	Φ8	6	
7	GB/T 93-1987	Spring Washer	Φ8	6	
8	GB/T 70.1-2000	Hexagon socket head cap screws	M8×16	4	
9	CLJ1030.01.03-2	Rubber Pad		2	
10	CLJ1030.01.03-1	Battery limit plate		1	
11	GB/T 70.1-2000	Hexagon socket head cap screws	M8×25	2	
12	SL15GD-01.12	Battery pad	Φ4	2	
13	6-EVF-120	Battery	120AH	2	

6. Lifting System


6.1 Lifting System



6.1 Lifting System

No.	Code	Description	Specification	QTY	Remark
1	SPN10.0-5	Chain	ISO12A	2	
2	SPN10.0-1	Chain tie rod		2	
3	GB/T 91-2000	Cotter pin	2.5×40	2	
4	GB/T 70.1-2000	Hexagon socket head cap screws	M8×25	16	
5	GB/T 93-1987	Spring Washer	8×2.1	18	
6	GB/T 95-2002	Flat Washer	8×1.6	26	
7	CL10.7.1	Guide wheel seat		2	
8	GB/T 276-94	Deep groove ball bearing	6204-2Z	2	
9	GB 894.2-86	Circlip for shaft	20	2	
10	GB 893.1-86	Hole circlip	47	2	
11	CL10.7-3	Guide wheel		2	
12	CL10.9	Left and right limit wheel carrier		2	
13	CL10.8	Rear Wheel Limit Wheel carrier		2	
14	GB / T308-77	Steel ball	Φ19.05	1	
15	GB/T 41-2000	Hexagon nut	M10	2	
16	GB/T 93-1987	Spring Washer	10×2.6	1	
17	GB/T 95-2002	Flat Washer	10×2	1	
18	GB/T 5781-2000	Hex head bolt full thread	M10×65	1	
19	GB/T 41-2000	Hexagon nut	M8	2	
20	SPN10.0-2	Cylinder hoop		1	
21	GB/T 276-94	Deep groove ball bearing	6204	2	
22	SPN10.2-5	Sprocket Wheel		2	
23	GB/T 70.1-2000	Hexagon socket head cap screws	M8×16	9	
24	CL12JY-02.1	Inner Frame welding		1	
25	GB/T 276-94	Deep groove ball bearing	6206-2Z	2	
26	GB 893.2-86	Hole circlip	62	2	
27	GB 894.2-86	Circlip for shaft	30	2	
28	SPN10.2-1	roller		2	
29	GB/T 93-1987	Spring Washer	8×2.1	8	
30	CL10.2.1	Guide wheel Component		2	

6.2 Fork holder



6.2 Fork holder

No.	Code	Description	Specification	QTY	Remark
1	CL12JY-03.1	Fork holder welding		1	
2	GB 894.2-86	Circlip for shaft	30	4	
3	GB 893.2-86	Hole circlip	62	4	
4	GB/T 276-94	Deep groove ball bearing	6206-2Z	4	
5	CL10.2-7	Roller		4	
6	CL12JY-03.2	Long axis		4	
7	CL12JY-03.3	Forged fork		2	
8	GB894. 1-86	Circlip for shaft	32	2	

Note: the manufacturer reserves the right of interpretation.

If have change not notice additionally!!