

EKKO[®]

MATERIAL HANDLING EQUIPMENT

**MOVING
AHEAD**



www.ekkolifts.com

EK20GT-Li / EK25GT-Li
4 Wheel Electric Forklift

Load Cap 4,000-5,000 lbs.
 Lift Height 185"
Side-Shift, Free Lift
 Tilt, 4 Levers,
 INMOTION Controller
 AC Drive Motor
 115V/125Ah Battery
 3-Phase 480V Charger
 (Optional 110V & 220V)



EK30GT-Li / EK35GT-Li / EK40GT-Li
4 Wheel Electric Forklift

Load Cap 6,000-8,500 lbs.
 Lift Height 185"
Side-Shift, Free Lift
 Tilt, 4 Levers,
 INMOTION Controller
 AC Drive Motor
 115V/125-230Ah Battery
 3-Phase 480V Charger
 (Optional 110V & 220V)



EK20G-Li
4 Wheel Electric Forklift

Load Capacity 4500 lbs.
 Lift Height 189"
Side-Shift, Free Lift
 Tilt, 4 Levers,
 ZAPI Controller
 AC Drive Motor
 80V/202Ah LI Battery
 3-Phase 480V Charger
 (Optional 110V & 220V)



EK25G-Li / E25G-212Li
4 Wheel Electric Forklift

Load Capacity 5,000 lbs.
 Lift Height 189-212"
Side-Shift, Free Lift
 Tilt, 4 Levers,
 ZAPI Controller
 AC Drive Motor
 80V/202Ah LI Battery
 3-Phase 480V Charger
 (Optional 110V & 220V)



EK25T-Li / EK40T-Li
4 Wheel Electric Forklift

Load Cap 5,000-8,000 lbs.
 Lift Height 185"
Side-Shift, Free Lift,
 Tilt, 4 Levers,
 Inmotion Controller
 AC Drive Motor
 80V/202-230Ah LI Battery



EK18AT-185Li / EK18AT-212Li
3 Wheel Electric Forklift

Load Capacity 4,000 lbs.
 Lift Height 185-212"
Side-Shift, Free Lift,
 Tilt, 4 Levers,
 Inmotion Controller
 AC Drive Motor
 48V/202Ah LI Battery



EK16A-189Li
3 Wheel Electric Forklift

Load Capacity 3,500 lbs.
 Lift Height 189"
Side-Shift, Free Lift,
 Tilt, EPS,
 Zapi Controller
 AC Drive Motor
 24V/200Ah LI Battery



EK18R-210Li / EK18R-270Li / EK18R-300Li
Stand-Up Rider Reach Truck

Load Capacity 4,000 lbs.
 Lift Height 210-300"
Side-Shift, Free Lift,
 Tilt, AC Drive Motor
 ZAPI Controller
 48V/404Ah LI Battery



EK18F-212Li
Stand-Up Rider Forklift

Load Capacity 4,000 lbs.
 Lift Height 212"
Side-Shift, Free Lift,
 Tilt, AC Drive Motor
 ZAPI Controller
 48V/404Ah LI Battery



EOP70-Li
Order Picker

Load Capacity 2,200 lbs.
 Lift Height 196"
 Auxiliary Forks,
 EPS, Curtis controller
 AC Drive Motor
 24V/150Ah LI Battery



EK14CS-130Li / EK14CS-189Li
Counterbalance Stacker

Load Capacity 3,000 lbs.
 Lift Height 130-189"
 Tilt, EPS, **Side-Shift**
 German AC Motor
 Curtis Controller
 24V/150Ah LI Battery



EK14C-130Li
Counterbalance Stacker

Load Capacity 3,000 lbs.
 Lift Height 130"
 Tilt, EPS,
 German AC Motor
 Curtis Controller
 24V/150Ah LI Battery



ER15-138Li / ER15-177Li / ER15-189Li / ER15-216Li
LI Walkie Reach Truck

Load Capacity 3,300 lbs.
 Lift Height 138-216"
Side-Shift,
 Free Lift, Tilt
 Curtis Controller
 AC Drive Motor
 24V/200Ah Charger



EK14S-130Li / EK14S-189Li
Counterbalance Stacker

Load Capacity 3,300 lbs.
 Lift Height 130-189"
 Tilt, EPS, **Side-Shift**
 German AC Motor
 Curtis Controller
 24V/150Ah LI Battery
 110V Plug-In Charger



EK14-130Li
Counterbalance Stacker

Load Capacity 3,300 lbs.
 Lift Height 130"
 Tilt, EPS,
 German AC Motor
 Curtis Controller
 24V/150Ah LI Battery
 110V Plug-In Charger



EB13C-98Li / EB13C-118Li / EB13C-138Li / EB13C-145Li
LI Walkie Straddle Stacker

Load Capacity 2,800 lbs.
 Lift Height 98-145"
 Curtis Controller
 DC Drive Motor
 Internal Charger
 24V/50Ah Battery



EB14C-98Li / EB14C-118Li / EB14C-138Li / EB14C-145Li
LI Walkie Straddle Stacker

Load Capacity 3,000 lbs.
 Lift Height 98-145"
Dual Damping Drive System
 Curtis Controller
 DC Drive Motor
 Internal Charger
 24V/50Ah Battery



EB18C-118Li / EB18C-138Li / EB18C-145Li
LI Walkie Straddle Stacker

Load Capacity 4,000 lbs.
 Lift Height 118-145"
 Curtis Controller
 DC Drive Motor
 Internal Charger
 24V/90Ah Battery



EB14CS-118Li / EB14CS-138Li / EB14CS-145Li
LI Walkie Straddle Stacker

Load Capacity 3,000 lbs.
 Lift Height 118-145"
Dual Damping Drive System
Side-Shift
 Curtis Controller
 DC Drive Motor
 24V/50Ah Battery
 Internal Charger



EB20CS-177Li / EB20CS-189Li / EB20CS-216Li
LI Walkie Straddle Stacker

Load Capacity 4,400 lbs.
 Lift Height 177-216"
Side-Shift, Free Lift
 Tilt, EPS
 Curtis Controller
 German AC Motor
 24V/50Ah Battery



EB16EAS-189Li
LI Walkie Straddle Stacker

Load Capacity 4,400 lbs.
 Lift Height 189"
 51.85" Free Lift
 EPS, **Side-Shift**, AC Drive Motor
 Curtis Controller
 24V/150Ah LI Battery



EB13E-119Li / 138Li / 145Li
LI Walkie Straddle Stacker

Load Capacity 2,800 lbs.
 Lift Height 119-145"
 24V Drive Motor
 Curtis Controller
 24V/50Ah LI Battery



EB13ES-119Li / 145Li
LI Walkie Straddle Stacker

Load Capacity 2,800 lbs.
 Lift Height 119-145"
Side-Shift
 24V Drive Motor
 Curtis Controller
 24V/50Ah LI Battery



EB12E-98Li
LI Walkie Straddle Stacker

Load Capacity 2,640 lbs.
 Lift Height 98"
 45" Forks,
 24V Drive Motor
 Curtis Controller
 24V/50Ah LI Battery
 Internal Charger



EP30A-Li
LI Rider Pallet Jack

Load Capacity 6,600 lbs.
 Raised Height 9.17"
 Lowered Height 3.26"
 ZF AC Drive Motor,
 Curtis Controller,
 24V/202Ah LI Battery



EP18Li / EP20Li
LI Walkie Pallet Jack

Load Capacity 4,000-4,400 lbs.
 27x48 Forks
 Lowered Height 3.3"
 Raised Height 7.7"
 24V Drive Motor,
 Curtis Controller,
 24V/40-60Ah LI Battery



EP20E-Li / EP25E-Li
LI Walkie Pallet Jack

Load Capacity 4,400-5,500 lbs.
 27x48 Forks
 Lowered Height 3.3"
 Raised Height 7.9"
 DC Drive Motor
 24V/100-150Ah Battery



EPC18Li / EPC20Li
LI Pallet Jack

Load Capacity 4,000-4,400 lbs.
 27x45 Forks
 Lowered Height 3.3"
 Raised Height 7.68"
 DC Drive Motor
 On-Board Charger
 24V/30Ah and 48V/20Ah Removable
 Battery



EPT18Li / EPT20Li
LI Pallet Jack

Load Capacity 4,000-4,400 lbs.
 27x45 Forks
 Lowered Height 3.35"
 Raised Height 7.68"
 DC Drive Motor
 24V/30Ah and 48V/20Ah LI Battery
 On-Board Charger



EP18JLIC/ EP20JLIC
LI Walkie Pallet Jack

Load Capacity 4,000-4,400 lbs.
 27x45 Forks
 Lowered Height 2.95"
 Raised Height 7.48"
 24V Drive Motor,
 Curtis Controller,
 24V/40Ah and 48V/20Ah LI Battery



EP15JLi / EP18JLi / EP18JNLI / EP20JLi
LI Walkie Pallet Jack

Load Capacity 3,300-4,400 lbs.
 27(22)x45 Forks
 Lowered Height 3.35"
 Raised Height 7.87"
 Pinwheel Capability
 Polyurethane Wheels
 24V/30Ah and 48V/20Ah LI Battery



EPF15Li / EPF18Li / EPF20Li
LI Walkie Pallet Jack

Load Capacity 3,300-4,400 lbs.
 27x45 Forks
 Lowered Height 3.3"
 Raised Height 7.87"
 24V Drive Motor,
 Curtis Controller,
 24V/30-40Ah and 48V/30Ah LI
 Battery



EP15SLi / EP18SLi
LI Semi Electric Walkie Pallet Jack

Load Capacity 3,300-4,000 lbs.
 27x45 Forks
 Lowered Height 3.3"
 Raised Height 7.87"
 Powered Drive,
 Curtis Controller,
 24V/30-40Ah LI Battery



ES40E-Li / ES60E-Li / ES80E-Li / ES100E-Li / ES120E-Li
LI Powered Scissor Lift

Lift height 13ft-19ft
 Lowered Height 77-102.36"
 Load Capacity 500-990 Lbs.
 Steel Construction
 Internal Charger
 GB25849 and EN280 Compliance Standards



Why Choose Lithium?

Lithium batteries have 4x the energy density of lead acid batteries giving you the ability to deep-cycle repeatedly without damage.

Lithium batteries can charge up to 5x faster!

EK20GS
4 Wheel Electric Forklift

Load Capacity 4,500 lbs.
 Lift Height 189"
Side-Shift, Free Lift
 Tilt, 4 Levers,
 ZAPI Controller
 AC Drive Motor
 48V/600Ah Charger.
 3-Phase 480V Charger
 (Optional 220V)



EK25GB
4 Wheel Electric Forklift

Load Capacity 5,000 lbs.
 Lift Height 189-212"
Side-Shift, Free Lift
 Tilt, 4 Levers,
 ZAPI Controller
 AC Drive Motor
 48V/600Ah Charger
 3-Phase 480V Charger
 (Optional 220V)



EK16A-138 / EK16A-177
3 Wheel Electric Forklift

Load Capacity 3,300 lbs.
 Lift Height 138-177"
Side-Shift, Free Lift
 Tilt, Hydraulic Power Steering
 Zapi Controller
 German AC Motor
 24V/320 Ah Battery
 24V/50A Charger



EK18RF / EK18RFL
Stand-Up Rider Forklift

Load Capacity 4,000 lbs.
 Lift Height 189-216"
Side-Shift, Free Lift
 Tilt, EPS
 Curtis Controller
 German AC Motor
 48V/420Ah Battery
 3-Phase 480V Charger



EK18RR / EK18RRL
Stand-Up Rider Reach

Load Capacity 4,000 lbs.
 Lift Height 196-275"
Side-Shift, Free Lift
 Tilt, EPS,
 Curtis Controller
 German AC Motor
 48V/420Ah Battery
 3-Phase 480V Charger




EOP68 / EOP70
Stand-Up Rider Reach

Load Capacity 2,200 lbs.
 Lift Height 177-196"
 Auxiliary Forks
 EPS, Curtis Controller
 German AC Motor
 24V/350Ah Battery
 3-Phase 480V Charger



EH15TH / EH15T
Moving Mast Reach

Load Cap 3,300 lbs.
 Lift Height 138-216"
 Free Lift, Tilt, EPS
 Curtis Controller
 German AC Motor
 24V-270Ah



EK14S-130 / EK13S-177
Counterbalanced Stacker

Load Cap 2,860-3,300 lbs.
 Lift Height 118-177"
Side-Shift, Free Lift, Tilt,
 EPS, Curtis Controller
 German AC Motor
 24V-210Ah Battery



EK14 / EK14-130 / EK14-138
Counterbalanced Stacker

Load Cap 3,300 lbs.
 Lift Height 118-138"
 Free Lift, Tilt,
 EPS, Curtis Controller
 German AC Motor
 24V-210Ah Battery



EK07S
Counterbalanced Stacker

Load Cap 1,550 lbs.
 Lift Height 118"
 Free Lift, Tilt,
 Curtis Controller
 750W Drive Motor
 24V-120Ah Battery



EK14C-130
Counterbalanced Stacker

Load Cap 3,000 lbs.
 Lift Height 130", Tilt,
 EPS, Curtis Controller
 German AC Motor
 24V-210Ah Battery



EB16EA
Walkie Straddle Stacker

Load Capacity 4,400 lbs.
 Lift Height 216"
 76.25 Free Lift,
 Tilt, EPS, Curtis Controller
 3000W German AC Motor
 24V-210Ah Battery



EA15A / EA15A-138
Semi-Electric Walkie Straddle Stacker

Load Capacity 3,300 lbs.
 Lift Height 118-138"
 Power Lifting
 Manual Drive
 12V/120Ah Battery
 Internal Charger



EB13C-118 / EB13C-138
Semi-Electric Walkie Straddle Stacker

Load Capacity 2,800 lbs.
 Lift Height 118-138"
 Power Lifting
 Manual Drive
 24V/85Ah Battery
 Internal Charger



EB13CD
Fork Over Stacker

Load Capacity 2,800 lbs.
 Lift Height 118"
 Fork Length 45.28"
 24V Lift Motor
 24V/85Ah Battery



EB14C-118 / EB14C-138
Walkie Straddle Stacker

Load Capacity 3,000 lbs.
 Lift Height 118-138"
Dual Damping Drive System
 Curtis Controller
 Center Drive Motor,
 Internal Charger
 24V/85Ah Battery



EB12EA
Walkie Straddle Stacker

Load Capacity 3,000 lbs.
 Lift Height 145"
 Curtis Controller
 1500W ZF AC Drive Motor,
 24V/100Ah Battery
 Internal Charger



EB13E / EB13E-138
Walkie Straddle Stacker

Load Capacity 2,800 lbs.
 Lift Height 119-138"
 Curtis Controller
 Center Drive Motor,
 Internal Charger
 24V/100Ah Battery



EB20E / EB18E
Walkie Straddle Stacker

Load Capacity 4,000-4,400 lbs.
 Lift Height 138-177"
 Curtis Controller
 750W AC Drive Motor,
 External Charger,
 24V/160-210Ah Battery



EB12E / EB12E-138
Walkie Straddle Stacker

Load Capacity 2,640 lbs.
 Lift Height 119-138"
 Curtis Controller
 750W Drive Motor,
 Internal Charger
 24V/100Ah Battery



EA15B / EA15D
Semi-Electric Straddle Stacker

Load Capacity 3,300 lbs.
 Lift Height 119-138"
 Power Lift,
 Manual Drive,
 Internal Charger
 12V/120Ah Battery



EA15C / EA15E
Fork Over Stacker

Load Capacity 3300 lbs.
 Lift Height 119-138"
 Forks over straddle legs,
 Power Lift,
 Manual Drive,
 Internal Charger
 12V/120Ah Battery



EOPS20-130 / EOPS20-157 / EOPS20-177
Semi-Electric Order Picker

Load Capacity 440 lbs.
 Lift Height 130-177"
 Safety Brackets
 Emergency Stop/Down Button
 Internal Charger
 12V/120Ah Battery



ES40E / ES60E / ES80E ES100E / ES120E
Scissor Lift

Load Capacity 500-990 lbs.
 Raised Height 13ft-19ft,
 Lowered Height 86-102.36"
 Guardrail,
 Extendable Platform



EPC30A
Center Controlled
Pallet Jack

Load Capacity 5,000 lbs.
 27x45" Forks
 Lowered Height 3.3",
 Raised Height 7.88",
 Curtis Controller,
 German AC Motor,
 24V/360Ah Battery



EP30A
Rider Pallet Jack

Load Capacity 6,600 lbs.
 27x45" Forks
 Lowered Height 3.3",
 Raised Height 7.88",
 Curtis Controller,
 German AC Motor,
 24V/280Ah Battery



EP20E / EP25E
Rider Pallet Jack

Load Cap 4,400-5,500 lbs.
 27x45" Forks
 Lowered Height 3.3",
 Raised Height 7.9",
 Curtis Controller,
 German AC Motor,
 24V/160-240Ah Battery



EG30
Electric Tow Tractor

Load Capacity 10,000 lbs.
 Electric Power Steering,
 Curtis Controller,
 German AC Motor,
 24V/210Ah Battery



AW25W
Manual Pallet Jack w/Scale

Load Capacity 5,500 lbs.
 Built In Scale
 Fork Size 27x45",
 Lowered Height, 3.2"
 Raised Height, 7.6"
 German Seal Pumps,
 Polyurethane Wheels



AW25WL
Manual Pallet Jack w/Scale & Printer

Load Capacity 5500Lbs.
 Built In Scale/ Printer
 Fork Size 27x45",
 Lowered Height, 3.2"
 Raised Height, 7.6"
 German Seal Pumps,
 Polyurethane Wheels



A25
Manual Pallet Jack

Load Cap 5,500 lbs.
 Fork Size 27x48",
 Lowered Height 2.95",
 Raised Height 7.5",
 German Seal Pumps,
 Polyurethane Wheels,
 Steel



A25S
Stainless Steel Manual
Pallet Jack

Load Cap 5,500 lbs.
 Fork Size 27x48",
 Lowered Height 2.95",
 Raised Height 7.5",
 German Seal Pumps,
 Polyurethane Wheels,
 Stainless Steel



A25G
Galvanized Steel
Manual Pallet Jack

Load Cap 5,500 lbs.
 Fork Size 27x48",
 Lowered Height 2.95",
 Raised Height 7.5",
 German Seal Pumps,
 Polyurethane Wheels,
 Galvanized Steel



**EK20TLP / EK25TLP
 LPG Forklift**

Load Cap 4,000-5,000 lbs.
 Lift Height 185"
 Free Lift, **Side-Shift**, Tilt
 PSI 2.4L Engine
 Solid Pneumatic Tires



**EK30TLP / EK35TLP / EK40TLP
 LPG Forklift**

Load Cap 6,000-8,500 lbs.
 Lift Height 185"
 Free Lift, **Side-Shift**, Tilt
 PSI 2.4L Engine
 Solid Pneumatic Tires



**EK20D / EK25D / EK30D /
 EK35D / EK40D
 Diesel Forklift**

Load Cap 4,000-8,500 lbs.
 Lift Height 185"
 Free Lift, **Side-Shift**, Tilt
 Mitsubishi 4EG
 Solid Pneumatic Tires



**EK25CLP
 LPG Forklift**

Load Capacity 5,000 lbs.
 Lift Height 189"
 Free Lift, **Side-Shift**, Tilt
 PSI Engine
 Smooth Cushion Tires



**EK25SLP / EK30SLP
 LPG Forklift**

Load Capacity 5,000 lbs.
 Lift Height 189"
 Free Lift, **Side-Shift**, Tilt
 PSI Engine
 Pattern Cushion Tires



**EK30LP / EK35LP
 LPG Forklift**

Load Cap 6,000-7,000 lbs.
 Lift Height 189"
 Free Lift, **Side-Shift**, Tilt
 Kubota Engine
 Solid Pneumatic Tires



**EK50LP
 LPG Forklift**

Load Cap 10,000 lbs.
 Lift Height 185"
 Free Lift, **Side-Shift**, Tilt
 Kubota Engine
 Pattern Cushion Tires



**EK30LP-RT / EK35LP-RT
 Diesel Rough Terrain Forklift**

Load Cap 6,000-7,000 lbs.
 Lift Height 185"
 Free Lift, **Side-Shift**, Tilt
 Kubota Engine
 Solid Pneumatic Tires



**Become an EKKO
 Authorized
 Dealer Today!!**