

EKKO[®]

MATERIAL HANDLING EQUIPMENT

MOVING **AHEAD**

LITHIUM WALKIE PALLET JACKS

EP20E-LI / EP25E-LI

- 4400-5500 lbs. Capacity
- Forks 27x48"
- Internal Charger
- Polyurethane Wheels
- Electromagnetic Braking
- Lithium Iron Phosphate
24V/100A – 24V/150A
- Batteries and Charger Included
- Pin Pad



EP20E-LI & EP25E-LI

Superior quality, maneuverable, compact, and durable for all your material handling applications. Ideal for small aisles and areas.

WEIGHT CAPACITY: 4400-5500 lbs.

LIFT HEIGHT: 7.9"

FORK LENGTH: 27x48"

TURNING RADIUS: 60"

BATTERY / CHARGER: LITHIUM IRON PHOSPHATE

Lithium 24V/100Ah-150Ah, Internal direct connect 110A
110VAC plug-in automatic 24V/30A-50A charger (both Included)

SPEED TRAVEL: 3.3 mph empty; 3.0 mph loaded

LIFTING SPEED: 1.1 IPS empty; .8 IPS loaded

LOWERING SPEED: 1.5 IPS empty; 1.5 IPS loaded

WHEELS: polyurethane

HYDRAULICS LIFTING MOTOR: 24V 800 Watt lifting motor with hardened chrome moly steel for durability.

DRIVE MOTOR: 24V/1300 Watt AC Drive motor for efficiency and high torque.

AC CONTROLLER: 24V CURTIS Instrument provides performance through entire range of speed; Constant travel speed regardless of load; Battery discharge indicator combination gauge.


BRAKES: Electro-magnetic braking for secure stopping power; Electronic neutral braking for accurate control.

OPERATOR CONTROLS: Throttle, lifting, lowering, turtle mode and horn functions are located on the ergonomic handle; turtle button; belly button reverse safety feature allows the unit to stop and reverse to avoid collision or injury.

CHASSIS AND MAST: Robotic Welding; Heavy duty steel for durability.



LITHIUM PALLET JACKS



MODEL #	LOAD CAPACITY	FORKS	Lithium BATTERY	SERVICE WEIGHT
EP20E-LI	4400lbs	27x48	24V/100Ah	755lbs
EP25E-LI	5500lbs	27x45	24V/150Ah	1010lbs



1761 W. Holt Ave.
Pomona, CA 91768 USA
T: (877) 232-6517 F: (909) 222-6861

AUTHORIZED DEALERS ONLY
www.ekkolifts.com